



2018 Indiana Safety Codes for Elevators, Escalators, Manlifts, and Hoists Code Committee

Indiana Government Center South
302 West Washington Street
Indianapolis, Indiana 46204

Tuesday, October 30, 2018
9:00 a.m.
Teleconference Media Center

MEETING MINUTES

1. The 2018 Indiana Safety Codes for Elevators, Escalators, Manlifts, and Hoists Code Committee (Committee), subcommittee of the Fire Prevention and Building Safety Commission (Commission), was called to order by Committee Chairman Michael Corey at 9:02 a.m. on Tuesday, October 30, 2018.

a. Committee Members Present:

Michael Corey, Chairman, ThyssenKrupp and Fire Prevention and Building Safety
Commissioner
Joe Albertson, IUUC Local 34
Jeff Cooper, Purdue University
Tom Dorsten, Schindler Elevator
Gary Herrington, Indiana Department of Homeland Security
Steve Stuard, Stuard & Associates, Inc.
John Watson, Mid America Elevator

b. Committee Members Absent:

Jim Lockard, Kone Elevator
Clifford McDaniel, Indiana Department of Homeland Security
Marty Underwood, Otis Elevator

c. Committee Staff Present:

Douglas Boyle, Director of the Fire Prevention and Building Safety Commission and
Committee Secretary

d. Guests Present:

Matthew Cronley, Indiana Department of Homeland Security
Thomas Hendricks, Indiana Department of Homeland Security
Clifton Dukes, Indiana Department of Homeland Security
Bart Giesler, John J. Frick and Associates

2. Roll Call/Attendance

Attendance was taken via the attendance sign-in sheet. It was determined that a quorum was present, with seven voting members in attendance.

3. Review and Action on Meeting Minutes from Tuesday, September 25, 2018

Chairman Corey presented the meeting minutes from the Committee's September 25, 2018 meeting. Chairman Corey called for any additions and corrections to the minutes. Hearing no additions or corrections, a motion was made to approve the minutes with no additions or corrections, followed by a second. The motion was voted upon and carried.

4. Committee Review and Action on ASME A17.1 – 2016 Edition.

The Committee reviewed submitted proposals for code change to ASME A17.1 – 2016 Edition. The Committee took the following actions on each proposal for code change:

- a. Proposal #31: ASME A17.1 Section 8.6.1.2.2(a) On Site Documentation. [John Watson]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**
- b. Proposal #32: ASME A17.1 Section 8.6.1.7 Periodic Tests. [John Watson]
 - Proponent John Watson advised that the section title in the proposals needed to be changed from "Section 8.6.7.1" to "Section 8.6.1.7."
 - Motion to deny; seconded.
 - **DENIED BY HAND VOTE (4 – 3 IN FAVOR OF DENIAL).**
- c. Proposal #33: ASME A17.1 Section 8.6.4.19.7 Standby or Emergency Power Operation. [Gary Herrington]
 - The proposal's additional sentence to the provision will have **no fiscal impact**, since the tests referenced in the additional sentence are already required in the current code.
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**
- d. Proposal #34: ASME A17.1 Section 8.6.1.7 Periodic Tests. [Gary Herrington]

- Proposed Amendment(s): At the end of the first sentence of the additional provision, change “initiating device” to “initiating devices,” and strike/delete “inputs to the elevator control.” The additional provision shall read as follows: “The test shall be witnessed by elevator personnel, elevator contractor, or a written report of initiating device testing from the company performing the test of the initiating devices. The written report shall be reviewed for compliance with the code by the elevator contractor performing a category 1 or category 5 test. The written report of initiating device testing shall be filed with the AHJ by the elevator contractor along with the category 1 or category 5 Report of Test for Regulated Lifting Device on the State report form.”
 - Motion to approve as amended; seconded.
 - **APPROVED AS AMENDED.**

- e. Proposal #35: ASME A17.1 Sections 8.6.7.3, 8.6.7.3.1, 8.6.7.4, 8.6.7.4.1, 8.6.7.8, 8.6.7.8.1, 8.6.7.9, 8.6.7.9.1, 8.6.7.9.2, 8.6.7.9.3, 8.6.7.9.4, 8.6.7.9.5, 8.6.7.11, 8.6.7.11.1, 8.6.7.11.2, and 8.6.7.11.3 [Gary Herrington]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- f. Proposal #36: ASME A17.1 Section 8.6.10 Maintenance and Testing of Dumbwaiters and Materials Lifts. [Gary Herrington]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- g. Proposal #37: ASME A17.1 Section 8.6.10.1 Material Lifts and Dumbwaiters Without Automatic Transfer Devices. [Gary Herrington]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- h. Proposal #38: ASME A17.1 Section 8.6.10.2 Material Lifts and Dumbwaiters With Automatic Transfer Devices. [Gary Herrington]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- i. Proposal #39: ASME A17.1 Section 8.6.10.2.1 Periodic Test. [Gary Herrington]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- j. Proposal #40 ASME A17.1 Section 8.7.3.23.1 Hydraulic Jack. [Gary Herrington]
 - Provided that hydraulic jack replacements are very rare, the Committee calculated the fiscal impact of the proposal as follows: 5 (elevators) × \$1,000.00 (parts) = **\$5,000.00 in fiscal impact.**
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUBMITTED.**

- k. Proposal #41: ASME A17.1 Section 8.7.3.23.3 Cylinders. [Gary Herrington]
 - Proposal will have **minimal to no fiscal impact (incalculable).**
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUDMITTED.**

- l. Proposal #42: ASME A17.1 Section 8.9.1 Code Data Plate – Required Information. [John Watson]
 - Motion to approve as submitted; seconded.
 - **APPROVED AS SUDMITTED.**

- m. Proposal #43: ASME A17.1 Section 1.3 Definitions – Authority Having Jurisdiction. [Gary Herrington]
 - Proposed Amendment(s): Add commas where required in the last sentence of the revised provision, so the last sentence shall read as follows: “Where compliance with this code has been mandated by legislation or regulation, the ‘authority having jurisdiction’ means: State of Indiana Department of Homeland Security, Division of Fire and Building Safety, Division of Elevator Safety, the local building official as authorized under IC 36-7-2-9, and the local ordinance or the fire department as authorized under IC 36-8-17-8.”
 - Motion to approve as amended; seconded.
 - **APPROVED AS AMENDED.**

- n. Proposal #44: ASME A17.1 Section 1.3 Definitions – Elevator Personnel. [Gary Herrington]
 - Motion to deny; seconded.
 - **DENIED.**

- o. Proposal #45: ASME A17.1 Section 8.6.1.7.1 (Periodic Tests). [Steve Stuard]
 - **WITHDRAWN.**

5. Other Business – Further Committee Discussion/Next Meeting/Plan Forward

Chairman Corey advised the Committee that its next meeting will be on Tuesday, November 27, 2018, starting at 9:00 a.m. in the Teleconference Media Center of Indiana Government Center South. Chairman Corey also advised that the agenda for the meeting will be to continue reviewing ASME A17.1 – 2016, focusing on Part 8 but also inclusively reviewing any submitted proposals for code change the other parts of ASME A17.1 – 2016. Doug Boyle advised that proposals for code change will be due to him by the end of business (4:30 p.m.) on Tuesday, November 20, 2018.

6. Adjournment

Chairman Corey thanked the members for their service, and adjourned the meeting at 11:43 a.m.